

WHAT IS CLAIMED IS:

530
A2

1. A trailer hitch cover assembly for a hitch receiver comprising:

5 a main body operatively connected to a hitch tube and adapted to allow insertion of a hitch into the hitch tube;

an insulating member disposed within between said main body and the hitch tube; and

09975527-104204
10 a cover plate hingedly connected to said main body and being movable between a closed position and an open position.

2. A trailer hitch cover assembly as set forth in claim 1 wherein said main body includes at least one
15 deflectable tab to retain said main body on the hitch tube.

Sub
br

3. A trailer hitch cover assembly as set forth in claim 1 wherein said main body further comprises at least one aperture extending therethrough adapted to allow passage of a
20 lock pin.

4. A trailer hitch cover assembly as set forth in claim 1 wherein said main body further comprises a front face having an opening adapted to allow passage of the hitch into

an open end of the hitch tube.

b2
cont

5 5. A trailer hitch cover assembly as set forth in claim 1 wherein said main body further comprises at least one first hinge knuckle.

10 6. A trailer hitch cover assembly as set forth in claim 5 wherein said cover plate further comprises at least one second hinge knuckle.

15 7. A trailer hitch cover assembly as set forth in claim 6 including a hinge pin extending through said first hinge knuckle and said second hinge knuckle to allow said cover plate to rotate about said hinge pin between said closed position and said open position.

20 8. A trailer hitch cover assembly as set forth in claim 1 wherein said main body includes a plurality of apertures extending therethrough.

5b
A2

9. A trailer hitch cover assembly as set forth in claim 8 wherein said insulating member includes a plurality of pins extending outwardly and through said apertures in said main body to connect said insulating member to said main body.

62
cont

10. A trailer hitch cover assembly as set forth in claim 1 wherein said insulating member further comprises a front face having an opening adapted to allow passage of the
5 hitch into the open end of the hitch tube.

11. A trailer hitch cover assembly as set forth in claim 1 wherein said cover plate has a rear face and a plurality of raised elements on said rear face.

10
SUB
AY

12. A trailer hitch cover assembly for a motor vehicle comprising:

15 a main body for connection to a hitch tube and having a front face with an opening adapted to allow passage of a hitch into an open end of the hitch tube;

an insulating member disposed within and operatively connected to said main body; and

20 a movable cover plate hingedly connected to said main body to be moved between a first position and a second position.

13. A trailer hitch cover assembly as set forth in claim 12 wherein said main body includes opposed side walls

14. A trailer hitch cover assembly as set forth in
5 claim 13 wherein each of said sidewalls include at least one
aperture extending therethrough adapted to allow passage of a
lock pin.

16. A trailer hitch cover assembly as set forth in
claim 15 wherein said cover plate further comprises at least
15 one second hinge knuckle.

Sup
A5

18. A trailer hitch cover assembly as set forth in claim 13 wherein said main body includes a plurality of

[illegible]

10 a hitch tube having a first opening adapted to
receive a hitch;

a main body connected to said hitch tube and having a front face with a second opening to allow passage of the hitch into said first opening and in said hitch tube;

a movable cover plate hingedly connected to said main body to be moved between a first position to close said first opening and a second position to open said first opening.